


LED PROFILE LIGHT - CONCEALED WITH DIFFUSER



5MM THICKNESS





25MM DEPTH

Model No.: HLL-4710 (GROOVE LIGHT)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	3014 LED
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	270 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V
DEPTH	25MM


Max. Length 5FT.



Model No.: HLL-4711 (10MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	530 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V / 24V
Cut-Out (B x H)	7mm x 8mm

Max. Length 8FT.



LED PROFILE LIGHTS

Elite Series



LED PROFILE LIGHT - CONCEALED WITH DIFFUSER



Model No.: HLL-4714 (50MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	15w / Ft.
Light Source	EDISON LED - 78LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	1700 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V
Cut-Out (B x H)	35mm x 43mm

Max. Length 8FT.



NEW


Model No.: HLL-4715 (80MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	20w / Ft.
Light Source	EDISON LED - 78LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	2800 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V
Cut-Out (B x H)	65mm x 55mm

Max. Length 8FT.




LED PROFILE LIGHT - CONCEALED WITH DIFFUSER



Model No.: HLL-4712 (25MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V / 24V
Cut-Out (B x H)	17mm x 5mm


Max. Length 8FT



Model No.: HLL-4713 (40MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	10w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	850 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V / 24V
Cut-Out (B x H)	25mm x 33mm


Max. Length 8FT.



LED PROFILE LIGHT - SURFACE WITH DIFFUSER




Model No.: HLL-4722 (15MM)



Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V / 24V

Max. Length 8FT.




Model No.: HLL-4723 (20MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	10w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	850 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V

Max. Length 8FT.



LED PROFILE LIGHT - SURFACE WITH DIFFUSER



Model No.: HLL-4724 (25MM ANGULAR)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	10w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	850 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V / 24V

Max. Length 8FT.




NEW



Model No.: HLL-4725 (20MM TOUCH SHELF)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	110°
Input Voltage (V)	12V / 24V

Max. Length 8FT.



LED PROFILE LIGHT - SURFACE WITH FROSTED LENSE



max. length of lense - 200mm



Model No.: HLL-4727 (20MM ASYMMETRIC LENSE)

NEW

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	15° / 50°
Input Voltage (V)	12V



ASYMMETRIC



SYMMETRIC


Model No.: HLL-4726 (15MM SYMMETRIC LENSE)

NEW

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	10°
Input Voltage (V)	12V


Fix Available Length : 2ft. / 4ft. / 6ft.

Fix Available Length : 2ft. / 4ft. / 6ft.



LED PROFILE LIGHT - SUSPENDED LIGHT - 10MM**Model No.: HLL-4729 (10MM SUSPENDED)**


Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 25LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	DIFFUSED
Constant Current	12V

Available Length upto 8ft.**NEW**

LED PROFILE LIGHT - SURFACE HANGER LIGHT



NEW





Model No.: HLL-4728 (10MM)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	DIFFUSED
Input Voltage (V)	12V

Available Length upto 8ft.



LED PROFILE LIGHT - SUSPENDED LIGHT - 15MM



NEW




Model No.: HLL-4730 (15MM SUSPENDED)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	5w / Ft.
Light Source	EDISON LED - 25LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	450 lumens / ft.
Beam Angle	DIFFUSED
Constant Current	96V, 110mA (2ft.) DRIVER IN-BUILD

Fix Length Available : 2ft / 4ft / 6ft / 8ft.

LED PROFILE LIGHT - SUSPENDED LIGHT - 45MM




2 line LED

NEW


Model No.: HLL-4731 (45MM SUSPENDED)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	10w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	850 lumens / ft.
Beam Angle	DIFFUSED
Constant Voltage (V)	24V
	DRIVER IN-BUILD


Length Available upto 8ft.



Available in 1 WAY





Available in 2 WAY



LED PROFILE LIGHT - SUSPENDED LIGHT - 65MM
NEW
Model No.: HLL-4732 (65MM SUSPENDED)

Housing Material	Aluminum Extrusion / Acrylic
Body Color	Silver Grey
Power Watt (W)	15w / Ft.
Light Source	EDISON LED - 39LED/Ft.
Color Temp (K)	3000K / 4000K / 6500K
Luminous Flux	1200 lumens / ft.
Beam Angle	DIFFUSED
Constant Voltage (V)	24V
	DRIVER IN-BUILD

Length Available upto 8ft.

3 line LED

Available in 1 WAY

Available in 2 WAY
